

Ensemble properties of high frequency data and intraday trading rules

Fulvio Baldovin, Francesco Camana, and Attilio L. Stella

Dipartimento di Fisica and Sezione INFN Università di Padova, Via Marzolo 8, I-35131 Padova, Italy

Massimiliano Caporin

Dipartimento di Scienze Economiche ed Aziendali Università di Padova, Via Marzolo, I-35133 Padova, Italy

(Dated: February 14, 2012)

We demonstrate that a stochastic model consistent with the scaling properties of financial assets is able to replicate the empirical statistical properties of the S&P 500 high frequency data within a window of three hours in each trading day. This result extends previous findings obtained for EUR/USD exchange rates. We apply the forecast capabilities of the model to implement an explicit trading strategy. Trading signals are model-based and not derived from chartist criteria. In-sample and out-of-sample tests indicate that the model performs better than a benchmark asymmetric GARCH process, and expose the existence of small arbitrage opportunities. We discuss how to improve performances and why the trading strategy is potentially interesting to hedge volatility risk for S&P index-based products. nomalous scaling; Memory; Intraday returns; Intraday strategy.

I. INTRODUCTION

Recent studies of high frequency (HF) data for foreign exchange (FX) rates [5, 7, 20] regarded the many daily realizations of asset returns as constituting a statistical ensemble of histories [24]. The single HF time series from which such ensembles can be extracted are known to present clear periodic patterns, with period of one day [see for instance 1–3, 11, 14, and therein cited references]. For example, in the EUR/USD case, the volatility over successive 10 minutes intervals monotonically increases or decreases during specific time windows within the day. This behaviour is observed by averaging the volatility on both a daily and a weakly basis. The idea in Baldovin *et al.* [5], Bassler *et al.* [7] is to endogenize the periodic, nearly deterministic behavior of the EUR/USD exchange rate HF volatility into a time inhomogeneous stochastic process for the evolution of the asset. The analysis of the ensemble of daily histories produced by such a process reveals also a peculiar form of scaling obeyed by the probability density functions (PDF) of the returns, once they are aggregated over intervals of variable span within a fixed intraday window [see also 16]. We recall that the scaling symmetry is a relation linking the marginal PDF of a stochastic process with the duration of sampling or observation interval. In the simplest case of time intervals starting at the beginning of the daily window, the scaling property observed for EUR/USD exchange rate implies that the PDF $p(r, \tau)$ for a return r over an interval of width τ , once multiplied by a factor τ^D , yields a specific function of r/τ^D :

$$p(r, \tau) = \frac{1}{\tau^D} g\left(\frac{r}{\tau^D}\right), \quad (1)$$

where g is the scaling function, and D is a suitable scaling exponent. This form leads to $p(r/\lambda^D, \tau/\lambda) = \lambda^{-D} p(r, \tau)$, for any arbitrary rescaling λ of the interval duration τ , and means that the PDF of the returns has a known structure, independently from the duration of sampling intervals. A process with such a property is thus called *self-similar*. As a consequence, if we observe an ensemble of histories generated by a self-similar stochastic process and data are available for instance at a 30 minutes frequency, the scaling relation makes it possible to construct the densities of the stochastic process at both finer and time-aggregated durations. Moreover, an HF self-similar process allows (unconditional) density forecasts for any future horizon (say from few minutes to several hours). Such a possibility is relevant for structural analysis of HF data, for financial forecasting, and, as we argue in the following, for the identification of efficient trading rules.

The HF scaling symmetry (1) addressed in Baldovin *et al.* [5], Bassler *et al.* [7] has further interesting aspects: g is non-Gaussian and D is definitely lower than $1/2$. On the basis of the stability of the Gaussian density under time aggregation, one would expect $D = 1/2$ and a Gaussian g for independent returns. On the other hand, a scaling with $D \simeq 1/2$, but a non-Gaussian g , is generally found in the empirical analysis of the PDF of aggregated returns for intervals sliding along a single, long historical time series. The deviation from Gaussianity found for the PDF of returns sampled in this way is an anomalous scaling feature generally ascribed to long range dependence (as revealed, e.g., by the presence of volatility clustering and heteroskedasticity with persistent behaviours). However, for efficient markets one still has $D \simeq 1/2$ [6, 11]. In the HF EUR/USD case mentioned above, besides non-Gaussianity the strong deviation of D from $1/2$ emphasizes the anomalous character of the scaling and implies the time-inhomogeneity (non-stationarity) of the returns' process. In particular, in Baldovin *et al.* [5] the time inhomogeneous scaling has been attributed to a non-Markovian, strong dependence of the intraday returns, as, e.g., manifested by the analysis of

the ensemble-averaged volatility autocorrelation function. This strong dependence amounts to an effective volatility clustering phenomenon, partially hidden by the fact that the average volatility reduces in time when $D < 1/2$. By imposing consistency with the anomalous scaling of the aggregated return PDF, a mathematical model has been then introduced for generating the histories in the ensemble. Within this model, the PDF of each return retains memory of the previous ones. Once properly calibrated, the model replicates very well the statistical properties of the empirical HF ensemble in the case of EUR/USD data. In particular, it is able to reproduce the patterns observed on autocovariance and autocorrelation functions of returns, absolute returns, and squared returns obtained from the HF time series.

In the present paper we apply the non-Markovian model introduced in Baldovin *et al.* [5] to the description of the HF data of a different financial asset, namely the S&P 500 index. A first goal is to show that the model is able to replicate the features of an asset different from FX exchange rates. More importantly, we will show how it might be used to develop an efficient intra-day trading rule, exposing a small arbitrage opportunity. This empirical application builds on the scaling property and is made under the assumption of correct model specifications. The process proposed in Baldovin *et al.* [5], conditionally to a minimum information input, i.e. the opening price and eventually the first few 10-minutes returns, can be used to provide long-range density forecasts (for several steps ahead within a given daily time range). We compute density forecasts also using a simpler and more standard GARCH process [8, 12]; namely, the asymmetric GJR model [see 13]. The density forecasts obtained from our model and those of the GARCH benchmark are used to define price bounds whose violation gives a trading signal. The bounds might be interpreted as predicted supports and resistances, or they could be read as a simulated price range with a given confidence interval. Our approach thus belongs to the large plethora of Technical Analysis-based trading methods whose performances have been studied by different authors, Neely and Weller [17], Lo *et al.* [18], Park and Scott [19][25], among others. However, the indicators used to derive the trading signals are model-based and not derived from a pure *chartist* approach. In-sample and out-of-sample tests demonstrate the existence of trading opportunities, leading, anyhow, to relatively small average margins of profit. As a matter of fact, those profits vary over time, reaching interesting values in specific periods and always beating the average profits associated with the GARCH model.

The paper proceeds as follow. In subsection 1.1 we briefly describe the data used within this study, while Section 2 is devoted to the presentation of the model and to parameter calibration. Section 3 deals with the construction of density forecasts, and Section 4 describes the trading strategy and provides the empirical results. Section 5 concludes.

A. Data extraction

In this work we focus on the analysis of the S&P 500 index. We consider a dataset ranging from September 30th 1985 to October 20th 2010. After excluding those days for which the records are not complete (*e.g.*, for holidays or stock exchange anticipated closures), the whole dataset includes $M = 6283$ trading days. For each single day l ($1 \leq l \leq M$), we extract the index values, $\{s^l(t)\}_{t=0,1,\dots,20}$, every 10 minutes between 9:40 a.m. (when we set $t = 0$) and 13:00 a.m. ($t = 20$), New York time. Our time unit, 10 minutes, is fixed by the characteristics of the dataset at our disposal. From one side it ensures that linear correlation effects among consecutive returns are negligible; on the other side, however, it poses a bias on the effectiveness of the strategy proposed in the following, since trading actions can be executed only with a certain time-delay induced by the 10-minute database discreteness. The empirical returns of the l -th day on the time-scale τ are then defined as $r^l(t, \tau) \equiv \ln s^l(t) - \ln s^l(t - \tau)$, $t = 1, 2, \dots, 20$, $1 \leq \tau \leq t$, and are regarded as specific realizations of stochastic variables $R(t, \tau)$. In this way, our ensemble amounts to $M = 6283$ realizations of the stochastic process $S(t)$, with logarithmic unit increments $R(t, 1) \equiv \ln S(t) - \ln S(t - 1)$. Below, $r(t, 1)$ refers to a generic realization of the random variable $R(t, 1)$. Wherever appropriate, to simplify our formulas we will switch to the simpler notation $R_t \equiv R(t, 1)$ and $r_t \equiv r(t, 1)$. Similarly, $r_t^l \equiv r^l(t, 1)$ will indicate the t -th return on a 10-minute-scale in the l -th history realization of our ensemble. Our first task is thus to identify a proper analytical model for the joint PDF of the returns $R_1, R_2, \dots, R_t$, $p_{R_1, R_2, \dots, R_t}(r_1, r_2, \dots, r_t)$, for any $t = 1, 2, \dots, 20$, which correctly reproduces the statistics of the ensemble $\{r_t^l\}_{l=1, \dots, M}^{t=1, \dots, 20}$.

II. THE MODEL

In Bassler *et al.* [7], Seemann *et al.* [20] it has been suggested that HF financial time-series for the FX exchange rates offer the opportunity to deal with many realizations of the same stochastic process every day. The set of daily histories, restricted to suitable time-windows, can thus be regarded as an ensemble for testing the statistical properties of the underlying process. In fact these histories are not completely independent, because heteroskedasticity and volatility correlations, if estimated by time averages along the whole time series $s(t)$ from which the ensemble $\{s^l(t)\}_{l=1, \dots, M}$ is

extracted, definitely exceed the intraday range. However, for a large enough total number of days M in the time series one can expect inter-day correlations effects to vanish, allowing for a reliable statistics of the postulated ensemble.

The general ideas at the basis of the mathematical model adopted here to describe such an ensemble can be traced back in Baldovin *et al.* [5], Baldovin and Stella [6]. Financial market returns in the HF ensemble relative to the EUR/USD exchange rate are linearly uncorrelated if taken over intervals of 10 minutes or more. However, they are also dependent, as shown, e.g., by the nonzero volatility autocorrelation function. Based on these evidences and on the existence of time inhomogeneous anomalous scaling properties (see below), it has been proposed that the joint PDF's of these returns have the form of convex combinations of the joint PDF's of processes with independent Gaussian increments of different, time dependent widths. This implies that the scaling function g of the aggregated return PDF is also a convex combination of Gaussians of variable width [9], as often assumed in phenomenological studies of anomalous scaling [see 21, and cited references].

The main feature of the time-inhomogeneous model described in Baldovin *et al.* [5] is the construction of the joint PDF $p_{R_1, R_2, \dots, R_t}(r_1, r_2, \dots, r_t)$, on the basis of the scaling symmetry valid for the PDF of the aggregated return

$$R(t, t) \equiv \ln S(t) - \ln S(0) = \sum_{i=1}^t R_i. \quad (2)$$

The PDF of $R(t, t)$, $p_{R(t, t)}(r)$, satisfies a scaling symmetry with scaling exponent D and scaling function g , if, for every t ,

$$t^D p_{R(t, t)}(t^D r) = g(r) \quad (3)$$

[this equation, in more precise notations, is equivalent to Eq. (1)]. Under the premises of this scaling symmetry, $p_{R_1, R_2, \dots, R_t}(r_1, r_2, \dots, r_t)$ is then reconstructed as

$$p_{R_1, R_2, \dots, R_t}(r_1, r_2, \dots, r_t) = \int_0^\infty d\sigma \rho(\sigma) \prod_{i=1}^t \frac{\exp\left(-\frac{r_i^2}{2\sigma^2 a_i^2}\right)}{\sqrt{2\pi\sigma^2 a_i^2}}, \quad (4)$$

where

$$a_i \equiv [i^{2D} - (i-1)^{2D}]^{1/2}, \quad (5)$$

$\rho(\sigma) \geq 0$ is a PDF for a mixture of Gaussian distributions with different widths σ [see, e.g., 10, 23], and the scaling function is given by

$$g(r) = \int_0^\infty \rho(\sigma) \frac{e^{-\frac{r^2}{2\sigma^2}}}{\sqrt{2\pi\sigma^2}} d\sigma. \quad (6)$$

The coefficients a_i determine the time-inhomogeneity of the variables R_i 's, which is also manifest in a peculiar scaling form for its PDF $p_{R_i}(r_i)$, namely,

$$a_i p_{R_i}(a_i r_i) = g(r). \quad (7)$$

Only for $D = 1/2$ the variables R_i 's become identically distributed. See Baldovin and Stella [6], Stella and Baldovin [21] for additional details on the derivation of the joint PDF.

The next step is the identification of a proper parametrization for the scaling function g . Since σ is a measure of volatility, a convenient way of representing this fat-tailed scaling function in finance [see, e.g., 9] is through an *inverse-gamma* density ρ :

$$\rho(\sigma) = \frac{\sigma_0^\alpha}{\Gamma(\alpha) \sigma^{1+\alpha}} \exp\left(-\frac{\sigma_0}{\sigma}\right), \quad (8)$$

where $\sigma_0 > 0$ and α are a scale and a form parameter, respectively. As a simplifying assumption, we disregard the weak skewness of the return distribution, whose inclusion in the modeling framework is currently under development. The resulting scaling function $g(r)$ has then a power-law decay for large $|r|$ with exponent $\alpha + 1$, whereas σ_0 simply sets the scale of its width. Within this parametrization, g is thus identified in terms of the two parameters σ_0 and α .

In this paper we extend the application of this model to the S&P 500 index, working with a larger set of realizations ($M = 6283$) with respect to the EUR/USD dataset used in Baldovin *et al.* [5]. The larger database enables us to reduce the statistical uncertainties of the empirical quantities. Interestingly, we find that the same general features of




FIG. 1: Scaling behaviour of the non-linear moments.

the dynamics of the EUR/USD exchange rate also characterize the S&P 500 index and that they are both very well reproduced by the above model. In the Appendix we give an account of these results, which include the observation of a systematic decrease of the empirical second moment of the elementary intraday returns (over intervals of 10 minutes) as a function of time (time-inhomogeneity), the vanishing of their linear correlation at and above the elementary time-scale, and the presence of strong non-linear correlations. In the next Section we report instead the empirical evidence used to calibrate the three parameters D , σ_0 , and α .

A. Model calibration

The scaling exponent D and the scaling function g play here a central role as they define respectively the a_i 's and $\rho(\sigma)$ appearing in the joint PDF of a given daily realization of the process. For the purposes of this study, we adopt a two step calibration procedure. At first, we determine D , and then we use D in order to obtain a data-collapse which allows identifying ρ .

A quantitative way to calibrate D is offered by the analysis of the moments of $R(t, t)$. A simple integration shows that if $p_{R(t, t)}(r)$ satisfies Eq. (3), independently of g we have $\mathbb{E}[|R(t, t)|^q] \sim t^{qD}$, $\forall q \in \mathbb{R}$. In Fig. 1 we plot the results of the linear regression, $qD(q)$, of the logarithm of the time evolution of the empirical moments

$$m_q(t, t) \equiv \frac{1}{M} \sum_{t=1}^M |r^l(t, t)|^q \quad (0 < q < 2). \quad (9)$$

The resulting regression slope $D(q) = D \simeq 0.36$, identifies the value of D and gives a proof of the anomalous scaling symmetry [Eq. (3)] satisfied by the empirical S&P 500 data. Quite remarkably, this value is very close to that estimated for FX exchange rates in Refs. Baldovin *et al.* [5], Bassler *et al.* [7], Seemann *et al.* [20]. It is important to point out that we limit our scaling analysis to $q \lesssim 2$ because of an evident multiscaling behaviour for $q \gtrsim 2$ [see also 22].

Taking advantage of the knowledge of the scaling exponent $D = 0.36$, a χ^2 minimization algorithm shows that the values $\sigma_0 = 0.0045$ and $\alpha = 3.69$ adequately fit (see Fig. 2) the data-collapse plot obtained via Eq. (3). These three parameter values, calibrated upon the entire available history, are used for in-sample evaluations of the model and subsequent trading strategies.




FIG. 2: The scaling function for the S&P after aggregation.

However, we are interested in performing out-of-sample analyses also. In such cases, starting from our 25-years database, we decided to use the first 15 years of data (from 1985 to 1999) to identify specific values for the parameters (D, σ_0, α) to be used to realize the trading strategy for the year 2000. We then repeatedly shifted year by year, always using the 15 previous years to calibrate the model, until 2009 (the last complete year). So, *e.g.*, we used the data from 1994 to 2008 to fit the scaling function for the strategy to be used for year 2009. Fig. 3 shows the optimal parameter values used for the implementation of the out-of-sample strategies from 2000 to 2009. The scaling parameter D slightly increases over time and stabilize from 2005 to 2009. In contrast, the parameters characterizing the *inverse-gamma* density show evidence of a clear drop once the crisis period of 2008 is introduced in the calibration sample (see, *e.g.*, the comparison between the *inverse-gamma*'s of year 2005 and 2009 presented in Fig. 4).

III. DENSITY FORECASTS AND TRADING SIGNALS

The model proposed here and in [5] has implicit density forecasting capabilities. Indeed, assuming correct model specifications, given the parameter values and the first daily return, it determines the PDF of the daily evolution of returns. This determination is not limited to each single return, but *extends to any aggregation of returns* within the validity of the scaling symmetry. Such a possibility allows the construction of a trading strategy based on density forecasts. Furthermore, at each point in time within the chosen scaling window, the forecasts for the remaining part might be updated using the additional intra-daily information. For this reason, we consider in the following two different trading approaches: the first makes use of the opening value of the traded asset at the beginning of the chosen time-window, $s^l(0)$, and then bases only on this value the density forecasts for the remaining part of it (we call it *Unconditional trading*); in the second approach the density forecasts are updated using the information of the most recent returns (the *Conditional trading*, since the forecast is conditioned to the fresh intraday information). With both trading approaches it is possible to extract trading signals from density forecasts: given a certain quantile $0 < q < 1/2$, if at a certain time within the intra-daily range under study the observed market price is above (below) the $1 - q$ (q) quantile of the predicted price density we have a buy (sell) signal.

A. Unconditional trading signals

In this case, for each day l , we calculate the quantiles for the expected price at time t , conditioned to the opening value $s^l(0)$ only. Note that our approach, in computing the density forecasts, does not rely on specific previous-days




FIG. 3: Fi




FIG. 4: Comparison between the inverse-gamma functions calibrated before and after the 2008 crisis.

asset information. It is assumed that all the information contained in the past observations has been compressed in the model parameters, namely (D, σ_0, α) . According to Eq. (4), the PDF for the return R_i , $p_{R_i}(r_i)$, is given by:

$$\begin{aligned}
 p_{R_i}(r_i) &= \int dr_1, \dots, dr_{i-1}, dr_{i+1}, \dots, dr_t p_{R_1, \dots, R_t}(r_1, \dots, r_t) \\
 &= \int_0^\infty d\sigma \rho(\sigma) \frac{e^{-\frac{r_i^2}{2\sigma^2 a_t^2}}}{\sqrt{2\pi\sigma^2 a_t^2}}.
 \end{aligned} \tag{10}$$




FIG. 5: Upper and lower expected index values for the first day of the dataset (September 30th, 1985), confronted with real prices (in circles). Lines are linear piece-wise interpolations.

The lower-bound values of the expected returns, $r_i^{q,min}$, $i = 1, \dots, 20$ for the lower quantiles q are then easily obtained by numerically solving the following equation with respect to $r_i^{q,min}$

$$q = \int_{-\infty}^{r_i^{q,min}} dx \int_0^{\infty} d\sigma \rho(\sigma) \frac{e^{-\frac{x^2}{2\sigma^2 a_i^2}}}{\sqrt{2\pi\sigma^2 a_i^2}}. \quad (11)$$

Due to the parity of the scaling function $g(r)$, the corresponding upper-bound values $r_i^{q,max}$ are simply obtained via sign flip: $r_i^{q,max} = -r_i^{q,min}$. The lower and upper expected values of $S(t)$ can then be easily calculated, because $S(t)$ is a monotonic function of the R_i 's, namely,

$$S(t) = S(0) e^{\sum_{i=1}^t R_i}, \quad (12)$$

and so the quantiles of $S(t)$ are directly related to the quantiles of R_i , once the daily opening value is given. In order to simplify our notations, we will drop the explicit dependence of the quantiles of $S(t)$ on the trading day, and indicate them as $s_t^{q,min}$ and $s_t^{q,max}$.

Summarizing, for every choice of q with $0 < q < 1/2$, for every time t from 1 to 20 within each trading day, two price barriers are obtained, $s_t^{q,min}$ and $s_t^{q,max}$. With probability $1 - 2q$ the price at time t is placed between these values. For instance, in Fig. 5 the results of the in-sample analysis for the first day of the dataset (September 30th, 1985) are shown. As explained below in details, the comparison between these barrier values and the actual real market price lead us to the definition of a buy or sell action.

The empirical analysis considers both in-sample and out-of-sample cases. The difference between the two is that for the former a unique set of values (D, σ_0, α) is used, calibrated with the whole 25-year dataset, while in the latter case the parameters (D, σ_0, α) are calibrated each year, on the basis of the previous 15-year history. For both approaches we will use the quantiles $q = 0.05, 0.1, 0.25$ (5%, 10%, 25%, respectively).




FIG. 6: Upper and lower expected index values [$q=10\%$] for one random day of the dataset (February 4th, 1994). As shown in the inset, different numbers of conditioning returns are considered.

B. Conditional trading signals

To exploit the non-Markovian character of our model, besides the opening value of the day, $s^l(0)$, we can use the value of, say, the first return of the day r_1^l to condition the subsequent expected evolution of the index. Using the model prediction for the joint PDF of the returns [Eq. (4)], we can build a conditioned scheme where, for example, the first return is used to condition the successive probability densities:

$$p_{R_2, \dots, R_t | R_1}(r_2, \dots, r_t | r_1) \equiv \frac{p_{R_1, \dots, R_t}(r_1, \dots, r_t)}{p_{R_1}(r_1)} = \frac{\int_0^\infty d\sigma \rho(\sigma) \prod_{i=2}^t \frac{\exp\left(-\frac{r_i^2}{2\sigma^2 a_i^2}\right)}{\sqrt{2\pi\sigma^2 a_i^2}}}{\int_0^\infty d\sigma \rho(\sigma) \frac{\exp\left(-\frac{r_1^2}{2\sigma^2 a_1^2}\right)}{\sqrt{2\pi\sigma^2 a_1^2}}}, \quad t \leq 20. \quad (13)$$

More generally, we can write the following expression, conditioning to the first t' returns the PDF of the successive $t - t'$ returns, with $1 \leq t \leq 20$ and $t' \leq t$:

$$\begin{aligned} p_{R_{t'+1}, \dots, R_t | R_1, \dots, R_{t'}}(r_{t'+1}, \dots, r_t | r_1, \dots, r_{t'}) &\equiv \frac{p_{R_1, \dots, R_t}(r_1, \dots, r_t)}{p_{R_1, \dots, R_{t'}}(r_1, \dots, r_{t'})} \\ &= \frac{\int_0^\infty d\sigma \rho(\sigma) \prod_{i=t'+1}^t \frac{\exp\left(-\frac{r_i^2}{2\sigma^2 a_i^2}\right)}{\sqrt{2\pi\sigma^2 a_i^2}}}{\int_0^\infty d\sigma \rho(\sigma) \prod_{k=1}^{t'} \frac{\exp\left(-\frac{r_k^2}{2\sigma^2 a_k^2}\right)}{\sqrt{2\pi\sigma^2 a_k^2}}}. \end{aligned} \quad (14)$$

The construction of the price barriers $s_t^{q, \min}$ and $s_t^{q, \max}$ proceeds then as described in the previous section, simply replacing the joint PDF $p_{R_1, R_2, \dots, R_t}(r_1, r_2, \dots, r_t)$ with the conditional PDF $p_{R_{t'+1}, \dots, R_t | R_1, \dots, R_{t'}}(r_{t'+1}, \dots, r_t | r_1, \dots, r_{t'})$.

In Fig. 6 some interesting features of conditional trading signals can be detected. In particular, it is clear the influence of the nearest past returns to determine the expected amplitude of the next ones. Conditional trading will thus be based on bounds which are not fixed within the day but may vary according to the new information included in the most recent market prices.

IV. DEVELOPING AND APPLYING INTRADAY STRATEGIES

When the index value $s^l(t)$ breaks through the lower $s_t^{q,min}$ or the upper $s_t^{q,max}$ quantile, this violation can be used to define a trading strategy. Note that the ensemble property we observe lasts from 9:30 a.m. to 1 p.m. As a consequence, we define a trading strategy which operates within this time lapse. To avoid the impact of news arrivals between 1 p.m. and the opening of the next day, the trading strategy opens and closes positions within the day. Furthermore, since we are using a 10-minute dataset, density forecasts (and therefore the quantiles at level q) will be available from 9:40 a.m. .

Within a certain day l , given its specific quantiles at level q , $s_t^{q,min}$ and $s_t^{q,max}$, the trading signals and the trading activity are defined as follows:

A: If there are no open positions

A.i: Buy if $s^l(t) > s_t^{q,max}$

A.ii: Sell if $s^l(t) < s_t^{q,min}$

B: If there are open positions

B.i: Close a long position if $s^l(t) < s_t^{q,max}$

B.ii: Close a short position if $s^l(t) > s_t^{q,min}$

B.iii: Close long or short positions if they are still in place at 1 p.m.

By construction, multiple trades are possible within volatile days. Differently, in trending days, single operations will take place, while during stable days, no positions will be taken.

Our purpose is to monitor the performances of the trading strategy defined above. Therefore, we simulate the time evolution of a trader using our strategy and having an initial cash amount equal to 1 million. Given the previous remarks about the validity of the ensemble properties and their link with the trading strategy, at the beginning of the day and at 1 p.m. the simulated portfolio is entirely composed by cash. Furthermore, in order to avoid losses larger than the portfolio value when implementing short positions, we limit the investment value to 90% of the overall portfolio value[26]. For symmetry, we apply the same rule also for long positions. As a result, when trades are created, 10% of the portfolio remains in cash. Once a signal is observed, the trade is executed at the price $s^l(t)$.

As mentioned above, three different quantile levels will be considered: 5%, 10%, 25%, and we simulate both unconditional and conditional quantiles for all these three levels. Specifically, we calculate price barriers using the opening price only (no conditioning), or conditioning also on the first 3, 6 or 9 returns. Higher numbers of conditioning points are not used, given that, within the day, the model proposed works only from the opening up to 1 p.m at a 10-minute frequency, thus with a total of 21 observations per day.

A. In-sample results

We first analyse the trading strategy in-sample, in order to evaluate its abilities in terms of yearly profits and average return by trade (in basis points). At this stage, we also verify the impact of the different number of conditioning returns. Table (I) reports the average return of the trades generated by the strategy during the range from October 1985 to October 2010. Profits are indicated as average basis points per trade, and distinguishing also between long and short trades. This allows to verify if the strategy better identifies signals in a specific direction.

Three elements clearly appear. The first one is that the profit decreases with decreasing quantile values, as if stronger signals provide smaller performances irrespective of the trade sign. We explain such an unexpected result by the fact that, due to the 10-minute discreteness of our database, trades are not valued precisely at the price at which the barrier violation occurs, but with a certain delay. This time-delay (which could be diminished using an higher-frequency dataset) reduces the potential profit coming from relevant (and unexpected) price movements. Those, in fact, are the price changes detected by the model-based quantiles at the 5% level.

The second relevant comment we make refers to the relation between average profit and conditioning information. We observe that conditioning the price barriers to the first returns of the day increases the profit. This is somewhat expected as during the first part of the day the model adapts its behaviour to the most recent data. and it provides therefore a better fit to the ensemble property within the remaining part of the day. Again, such a result holds independently of the trade sign. Regarding the number of conditioning values, we note that the relation between

TABLE I: Average profit per trade in basis points (1985-2010).

	25%	10%	5%
All trades			
0	2.619	1.602	0.590
3	3.788	2.842	1.862
6	3.449	3.027	2.313
9	3.243	3.070	2.184
Long trades			
0	1.599	1.180	-0.483
3	3.409	2.748	1.840
6	3.094	2.942	2.564
9	2.529	2.652	1.886
Short trades			
0	3.577	1.977	1.470
3	4.173	2.932	1.882
6	3.824	3.110	2.087
9	3.996	3.469	2.455

The first column reports the conditioning elements (0 stands for no conditioning). The first row shows the quantile level.

conditioning points and profits is not monotonic, and has a maximum between one and six conditioning points. As a consequence of this result and of the previous one about the quantile/profit relation, the out-of-sample analyses discussed in the next section have been performed with three conditioning points, which is the value with maximum profit for 25% quantiles.

Table (II) reports the same quantities as Table (I), but by year (we drop 1985 and 2010 where only part of the year was available). In general, the use of a 25% quantile provides the higher average profit. Furthermore, we observe that the largest part of negative values are identified in the range 2004-2007, where the market was clearly upward trending and in a low volatility phase. This is an expected outcome, since the model detects violations which are associated with high price fluctuations. The largest profits are located during 1986 and 1987, in a high volatility period. Overall, the average profit per trade is relatively small, and occasionally even negative. On the other hand, during some specific market phases the trading strategy provides large average profits per trade, see for instance the 90's.

Besides the impact of quantile level and number of conditioning returns, a third element is of interest: the number and type of trades created by the strategy in a given time interval. Table (III) reports several elements for the most recent years. The first column just repeats the content of Table (II), while the following ones separately consider Long and Short trades distinguishing between true and false signals. We call “true” a trading signal which really provides a positive trade profit. The existence of “false” signals is due, as previously mentioned, to the discreteness of the dataset. Note that since in the trading simulations we execute trades at 10-minute frequency, the ratio true-to-false signals might not be optimal. Indeed, to execute trades few seconds after the violation of a quantile barrier would improve the model performances, potentially increasing the number of true signals with respect to the false ones. In light of this comment, the presence of substantial positive profits despite the relatively small number of true signals [see the last two columns of Table (III)] should be considered as a positive, potentially interesting outcome of our strategy. A further element supporting the strategy is the average profit of trades originated by true signals. Both for long and short trades, these average profits are sensibly larger, peaking around about 80 basis points. On the contrary, false signals lead to trades with small losses (compared to the gains), even if these losses are larger during volatile market phases as in 2008 and 2009 (both for long and short trades). The number of trades is much larger when using 25% quantiles compared to 5% quantiles; while there are small differences between the use of Conditional and Unconditional quantiles. Long and short trades are almost numerically equivalent both in trending and volatile market phases. As naturally expected, overall the number of trades increases during volatile periods, irrespectively of the sign. Finally, also the number of relatively few true signals does not depend on the trade sign. In summary, Table (III) show evidence of some potential interest in the proposed strategy, since the average profit for true signals is quite elevate (in particular compared to the overall average profit).

While the previous tables were focusing on the average return over single trades, Table (IV) focuses on the overall profit of the strategy over single years (assuming a starting cash amount of 1 million). The returns are reported in

TABLE II: Average profit per trade in basis points (yearly values).

Year Quantile	Unconditional			Conditional 3 points			Conditional 6 points		
	25%	10%	5%	25%	10%	5%	25%	10%	5%
1986	8.31	6.06	6.02	11.39	9.95	9.96	11.84	12.21	12.13
1987	12.32	11.87	12.79	17.14	15.50	13.60	15.04	11.31	12.11
1988	3.26	1.98	1.24	7.34	6.00	4.02	8.83	8.37	7.43
1989	5.11	2.69	-1.33	6.88	5.87	7.83	7.26	5.95	4.02
1990	9.00	8.20	5.58	11.11	10.19	5.64	10.90	7.84	3.62
1991	4.46	1.13	1.58	6.35	5.65	2.55	7.54	7.48	4.12
1992	3.16	-0.25	-3.76	4.45	5.29	7.71	3.62	3.78	3.71
1993	1.54	-0.30	-2.39	3.38	4.51	2.87	3.15	4.04	3.80
1994	1.90	-0.13	-3.79	2.76	1.48	-0.89	3.77	2.10	1.18
1995	0.08	-2.36	-11.08	2.31	1.46	-0.26	2.14	1.23	0.13
1996	0.84	-1.63	-2.36	2.16	0.89	-1.28	3.19	2.37	0.28
1997	2.62	1.33	1.48	4.85	3.90	2.90	3.81	3.49	1.51
1998	3.37	3.49	0.37	4.73	0.35	-0.76	3.91	3.96	4.24
1999	1.48	0.84	-2.02	2.82	2.57	0.79	3.18	6.09	4.98
2000	0.02	-2.81	-0.88	2.78	0.81	1.72	0.32	1.14	3.74
2001	0.60	0.29	0.29	2.69	1.64	2.23	0.03	-2.14	-2.33
2002	2.65	0.28	0.35	3.49	0.17	-0.62	-0.55	-0.77	-2.64
2003	1.81	0.38	2.29	0.40	-0.30	-1.96	0.99	-0.51	-0.52
2004	-1.26	-1.66	-1.74	-0.38	-0.37	0.16	0.02	0.90	0.47
2005	-1.91	-2.06	0.52	-1.23	-0.25	0.98	-0.58	-1.36	-1.22
2006	0.38	-0.34	-1.20	-0.68	-1.63	-1.70	0.21	-0.52	-2.29
2007	-1.68	-4.88	-9.35	-1.55	-3.42	-4.99	-0.91	-2.49	-3.36
2008	4.06	2.37	-1.73	4.37	3.43	-0.50	3.03	-1.08	-2.16
2009	2.20	4.23	2.88	3.48	2.19	2.63	2.49	3.88	2.85

percentages, and show evidence of positive performances in most periods. Comparing first the Conditional versus Unconditional quantiles, we observe that conditional modeling is clearly better: the associated returns are higher apart from few cases, and their standard deviation is smaller[27]. Contrasting the 25% and 5% quantiles, the use of narrower bands (25%) for the identification of the signals provide larger returns over the years. This potentially exposes the portfolio to a number of trades generated by false signals, but the profits coming from true signals balance them. Such a result holds irrespectively of the conditioning type. Finally, if we compare the performances of the trading strategy (25% quantiles) to that of the underlying equity index [see the last two columns of Table (IV)], we note a relevant positive result: when the market is experiencing high volatility, our strategy provides positive returns with a volatility smaller than that of the market, and this is particularly evident when the market has yearly negative returns; on the contrary, when the market is in a low volatility period, our strategy has small or negative returns. In general, the trading strategy has always a volatility smaller than that of the market. This finding suggests that it could be used to hedge the market volatility, since it provides positive returns in case of high market volatility, and with smaller risk. This is further confirmed by the correlation between market and our strategy returns and between market and our strategy standard deviation [see the last row of Table (IV)]: positive and very high correlation in the case of standard deviations, and low negative correlation for returns.

B. Out-of-sample results

The above promising in-sample performances are confirmed in the out-of-sample results. In this evaluation, we compare our model to a more traditional approach, based on GARCH processes [see 8, 12]. Shifting from the point of view of ensembles to that of financial time series, several elements characterizing high frequency data have to be considered. First of all, and most relevant, the entire daily set of high frequency returns is to be used, and not just the range 9:30 a.m. to 1 p.m. Second, the periodic behaviour of the intra-daily volatility has to be taken into account

TABLE III: Average profit per trade and number of trades: long/short trades, false/true signals.

	Average profit (bp)									Number of trades										
	All			Long			Short			All			Long			Short			% True	
	All	True	False	All	True	False	All	True	False	All	True	False	All	True	False	Long	Short			
25% - Conditional 3 points																				
2005	-1.23	-0.10	21.43	-6.76	-2.24	15.63	-7.15	422	199	47	152	223	48	175	23.6%	21.5%				
2006	-0.68	-0.58	15.16	-6.28	-0.76	15.29	-5.65	438	207	55	152	231	54	177	26.6%	23.4%				
2007	-1.55	-4.01	13.05	-9.36	1.73	29.41	-9.19	462	264	63	201	198	56	142	23.9%	28.3%				
2008	4.37	-0.67	51.60	-20.27	9.90	66.53	-18.77	505	264	72	192	241	81	160	27.3%	33.6%				
2009	3.48	2.57	36.17	-12.87	4.42	53.20	-16.31	463	235	74	161	228	68	160	31.5%	29.8%				
5% - Conditional 3 points																				
2005	0.98	2.36	25.96	-3.26	-0.63	9.69	-1.92	97	52	10	42	45	5	40	19.2%	11.1%				
2006	-1.70	-0.91	15.26	-4.69	-2.25	27.18	-6.01	90	37	7	30	53	6	47	18.9%	11.3%				
2007	-4.99	-6.31	17.56	-6.71	-3.86	11.24	-8.34	130	60	1	59	70	16	54	1.7%	22.9%				
2008	-0.50	-3.59	31.85	-16.55	2.61	61.09	-19.88	253	127	34	93	126	35	91	26.8%	27.8%				
2009	2.63	2.68	53.40	-10.21	2.59	53.19	-13.78	169	79	16	63	90	22	68	20.3%	24.4%				
25% - Unconditional																				
2005	-1.91	0.36	21.13	-7.61	-3.48	15.40	-8.67	407	166	46	120	241	52	172	27.7%	21.6%				
2006	0.38	0.47	19.63	-7.50	0.30	26.70	-7.78	369	177	52	125	192	45	131	29.4%	23.4%				
2007	-1.68	-3.21	16.58	-9.91	-0.13	35.74	-11.42	479	241	61	180	238	57	169	25.3%	23.9%				
2008	4.06	-4.02	57.18	-28.56	13.19	71.86	-21.66	560	297	85	212	263	98	158	28.6%	37.3%				
2009	2.20	0.01	50.94	-23.19	4.41	55.57	-19.72	521	262	82	180	259	83	167	31.3%	32.0%				
5% - Unconditional																				
2005	0.52	-0.75	14.39	-6.25	2.64	26.78	-0.38	24	15	4	11	9	1	8	26.7%	11.1%				
2006	-1.20	-1.08	22.61	-4.82	-1.33	22.42	-9.81	41	22	3	19	19	5	14	13.6%	26.3%				
2007	-9.35	-9.69	38.70	-12.62	-9.17	18.42	-16.98	103	35	2	33	68	15	53	5.7%	22.1%				
2008	-1.73	-8.57	58.81	-31.19	5.59	83.91	-28.44	362	187	47	140	175	53	122	25.1%	30.3%				
2009	2.88	5.61	62.38	-14.47	0.71	53.57	-18.05	302	134	35	99	168	44	124	26.1%	26.2%				

[see 3, 4, among others]. To capture these elements, together with variance asymmetry, we consider as a competing model an asymmetric GARCH, the GJR [see 13] with a periodic deterministic variance component. Our choice is motivated by the relative simplicity of the competitor, a kind of benchmark, and by the possibility of easily generating from this model density forecasts at a given quantile under a distributional assumption for the model innovations. The competing model is given as follow:

- the empirical returns on a 10-minute time scale are represented as: $r_t^l = m_t^l \epsilon_t^l$, where t identifies the 10-minute period within day l with a range which is now $t = 1, 2, \dots, T$ ($T = 39$ for our dataset), m_t^l is a deterministic periodic function, and ϵ_t^l is the stochastic component; this model implies that returns are generated as $R_t^l = \mathbb{N}(0, m_t^l \mathbb{V}_\epsilon)$, where $\mathbb{N}(\mu, \sigma)$ indicates a Gaussian random variable of mean μ and variance σ , and $\mathbb{V}_\epsilon$ is the (stochastic) variance of the random component;
- m_t^l is a periodic deterministic variance modeled similarly to Andersen and Bollerslev [4], but using dummy variables instead of harmonics; we might represent returns as

$$\ln[(R_t^l)^2] = \ln[(m_t^l)^2] + \ln[(\epsilon_t^l)^2], \quad (15)$$

with

$$\ln[(m_t^l)^2] = a_1 + \sum_{j=1}^T a_j d_{t,j}^l, \quad (16)$$

where $d_{t,j}^l$, $j = 2, \dots, T$ is a dummy variable assuming value 1 when $j = l$ and zero otherwise, while $a_1, a_2 \dots a_T$ are parameters to be estimated;

TABLE IV: In-sample yearly return and standard deviation compared with the S&P500 Index.

	25% - C. 3 p.		5% - C. 3 p.		25% - Unc.		5% - Unc.		S&P500	
	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st
1986	40.47	4.88	11.36	2.98	33.53	5.23	5.06	2.99	14.620	14.635
1987	79.71	7.78	21.58	6.31	61.65	12.98	24.05	11.28	2.028	32.013
1988	26.55	4.41	5.33	2.47	12.14	4.99	0.97	2.68	12.401	17.019
1989	23.91	3.81	7.67	2.55	16.45	4.09	-0.88	1.82	27.250	13.006
1990	47.37	4.98	9.65	3.19	40.56	6.21	7.07	3.83	-6.559	15.886
1991	23.62	4.20	3.43	2.18	17.52	4.86	1.33	2.37	26.307	14.242
1992	14.84	3.26	5.99	1.68	9.97	3.29	-1.82	1.11	4.464	9.644
1993	10.39	2.76	2.27	1.65	4.06	2.96	-0.76	1.27	7.055	8.567
1994	9.55	3.04	-0.67	1.14	6.03	3.61	-1.98	1.40	-1.539	9.805
1995	7.54	2.59	-0.22	1.36	0.28	2.93	-2.80	0.99	34.111	7.776
1996	7.87	4.15	-1.38	2.14	2.97	4.68	-1.61	1.87	20.264	11.734
1997	20.57	6.02	4.86	4.38	12.49	6.30	2.06	3.45	31.008	18.059
1998	20.03	5.58	-1.40	3.26	15.79	8.29	-0.07	5.95	26.669	20.207
1999	11.98	5.77	1.53	3.13	6.65	7.40	-3.95	3.90	19.526	17.999
2000	11.47	8.30	2.48	5.05	-2.08	10.07	-2.99	6.39	-10.139	22.134
2001	11.63	7.07	4.26	4.41	1.80	9.57	0.80	6.18	-13.043	21.471
2002	15.22	8.26	-1.74	5.40	11.67	10.65	0.43	7.68	-23.366	25.926
2003	1.90	5.38	-2.91	2.80	9.45	7.79	3.99	4.80	26.380	17.000
2004	-1.61	3.56	0.20	1.74	-4.92	3.77	-0.75	1.05	8.993	11.049
2005	-4.68	3.21	0.97	1.19	-6.81	3.39	0.10	0.57	3.001	10.243
2006	-2.82	2.80	-1.42	1.15	1.22	3.70	-0.48	0.92	13.619	9.985
2007	-7.40	3.90	-6.06	1.49	-7.96	4.83	-8.67	2.39	3.530	15.928
2008	19.95	10.70	-2.23	6.99	18.47	15.45	-8.63	12.55	-38.486	40.810
2009	15.43	7.97	3.99	5.43	9.63	10.29	8.29	7.68	24.707	27.177
Corr.	-0.08	0.95	0.04	0.94	-0.08	0.98	0.15	0.98		

- furthermore, the stochastic term ε_t^l follows a GJR model (Glosten et al. 1993) allowing thus for the decomposition

$$\varepsilon_t^l = \sigma_t^l Z_t^l, \quad (17)$$

where $Z_t^l = \mathbb{N}(0, 1)$ and the conditional variance is given by

$$(\sigma_t^l)^2 = \omega + (\alpha_0 + \alpha_1 I(\bar{\varepsilon}_t^l < 0)) (\bar{\varepsilon}_t^l)^2 + \beta (\bar{\sigma}_t^l)^2, \quad (18)$$

where

- $(\bar{\varepsilon}_t^l)^2 \equiv (\varepsilon_{t-1}^l)^2$ if $t > 1$ and $(\bar{\varepsilon}_t^l)^2 \equiv (\varepsilon_T^{l-1})^2$ if $t = 1$,
- $(\bar{\sigma}_t^l)^2 \equiv (\sigma_{t-1}^l)^2$ if $t > 1$ and $(\bar{\sigma}_t^l)^2 \equiv (\sigma_T^{l-1})^2$ if $t = 1$,
- $I(\bar{\varepsilon}_t^l < 0)$ is equal to one when $\bar{\varepsilon}_t^l$ is negative and zero otherwise,
- $\omega, \alpha_0, \alpha_1$ and β are parameters to be estimated. These parameters must satisfy the constraints for variance positivity and covariance stationarity $\omega > 0, \alpha_0 > 0, \alpha_1 > 0, \beta > 0$ and $\alpha_0 + 0.5\alpha_1 + \beta < 1$ (under an assumption of symmetry for the density characterizing Z_t^l).

The estimation of the model proceeds by steps. At first the periodic component is estimated by linear regression using equations (15) and (16). The fitted periodic component is used to recover the estimated values of ϵ_t^l . Over those, the GJR parameters are estimated by Quasi Maximum Likelihood approaches using a Gaussian likelihood. Given the estimated parameters, and under a Gaussian density for the innovations z_t^l , we generate possible paths for the future evolution of the conditional variance $(\sigma_t^l)^2$, of the innovations ϵ_t^l , and of the returns r_t^l (the periodic component m_t^l is purely deterministic and is thus simply replicated in the forecasting exercise). Under the distributional hypothesis, the needed quantiles are then determined and used as an alternative input for the identification of the trading signals.

TABLE V: Out-of-sample average profit per trade in basis points (2000-2010).

	25%	10%	5%
All trades			
Unc.	0.772	-0.058	-0.267
Cond. (3)	1.565	0.465	-0.098
GARCH	-1.488	-3.207	-0.628
Long trades			
Unc.	-1.131	-0.854	-1.260
Cond. (3)	0.962	0.250	-0.513
GARCH	-2.812	-3.950	-0.546
Short trades			
Unc.	2.597	0.661	0.613
Cond. (3)	2.145	0.655	0.284
GARCH	-0.489	-2.594	-0.696

The first column reports the model: Unc. stands for our model with no conditioning; Cond. (3) refers to the model with a conditioning to the first three returns of the day; finally, GARCH identifies the conditional variance specification with deterministic periodic component. The first rows reports the quantile level.

TABLE VI: Out-of-sample yearly return and standard deviation compared with the S&P500 Index.

	25% - C. 3 p.		5% - C. 3 p.		25% - Unc.		5% - Unc.		25% - GJR		5% - GJR		S&P500	
	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st	Return	Dev.st
2000	12.96	8.36	-1.29	5.31	-2.15	10.09	-3.46	6.56	-10.88	4.88	-1.95	2.46	-10.14	22.13
2001	12.61	7.19	5.28	4.35	2.15	9.49	0.49	6.28	1.75	5.62	0.52	3.00	-13.04	21.47
2002	16.21	8.49	-0.93	5.53	11.03	10.76	0.69	7.68	-7.83	5.54	2.29	3.39	-23.37	25.93
2003	2.93	5.35	-0.61	2.95	8.43	7.63	4.13	4.69	9.39	4.94	-1.27	2.17	26.38	17.00
2004	-1.08	3.52	-0.69	1.60	-6.60	3.66	-0.66	0.99	0.70	1.69	-0.44	0.44	8.99	11.05
2005	-5.68	3.00	0.88	1.13	-6.80	3.27	0.06	0.52	-1.86	1.38	0.14	0.25	3.00	10.24
2006	-3.08	2.61	-0.99	1.04	0.79	3.56	-0.84	0.85	3.11	1.90	0.09	0.61	13.62	9.99
2007	-9.25	3.91	-4.96	1.49	-10.39	4.79	-8.71	2.22	-4.27	1.61	-0.98	0.45	3.53	15.93
2008	22.73	10.66	-1.90	7.70	18.30	15.46	-8.43	12.70	-7.02	4.22	-1.49	1.38	-38.49	40.81
2009	18.36	8.17	1.74	5.41	12.31	10.15	8.05	7.50	3.99	4.91	-0.78	1.33	24.71	27.18
Corr.	-0.52	0.95	0.06	0.96	-0.30	0.97	0.62	0.98	0.78	0.64	-0.19	0.45		

In Table (V) we report the out-of-sample average profit per trade, using the Unconditional and Conditional trading strategies as well as the one based on the GJR model. As mentioned earlier, the out-of-sample evaluation focuses only in the range 2000 to 2010, since the period 1985-1999 is used to calibrate the models. Results for our model are similar to in-sample outcomes, with conditional modeling providing better results. Both Conditional and Unconditional model specifications have performances largely better than the GJR model. The differences among the strategies appear more clearly in Table (VI), which contains annual returns of the simulated portfolios. We note here that using the 25% quantiles together with a conditioning on the first three returns of the day provides the best results in high volatility market phases (large than 20% annualized daily market volatility). On the contrary, when the volatility is lower, there is not a clear preference across the models (GJR included). The yearly volatility of the GJR is lower compared to our models as well as to the market, but the yearly profits are clearly unsatisfactory. In addition, the last row of Table (VI) reports the correlations between market and strategies returns and between market and strategies standard deviations: results confirm the previous in-sample findings for our strategies, while for the GJR we have a lower correlation in the standard deviations.

Overall, the results suggest the existence of some trading opportunities with respect to the time series and sample size used. Furthermore, they show how the combination of advanced statistical methodologies could be used for the development of trading rules or trading schemes which have a large resemblance with those commonly used in technical analysis.

V. CONCLUDING REMARKS

In this study we realized the first practical application of a non-Markovian model for asset evolution [5, 6], deduced by the scaling symmetry revealed by empirical analyses. The calibration of the parameters (D , σ_0 and α in the present case) has been facilitated by the opportunity of considering the intraday evolution of a given asset within specific time-windows, as an ensemble of different histories repeating each day [5, 7, 20]. While previous studies demonstrated this property for FX exchange rates, in the present context we showed that it is possible to extend this interpretation and to verify that the model proposed in Baldovin *et al.* [5] correctly reproduces the empirical evidence also for the S&P 500 HF data.

In particular, performing both in-sample and out-of-sample analyses we demonstrated how the scaling properties of the stochastic process can be used to derive long-term (intraday) density forecasts. In turns, these density forecasts can be used to define trading signals and implement an intra-day trading strategy which exposes a small arbitrage opportunity. By comparing the trading outcomes to those obtained from a standard GARCH model, namely, the GJR [13], we showed better performances for the trading strategy based on the proposed model. The average trade profit is limited over the entire time span, even though local levels might be higher. Further studies aiming at improving the trading strategy and the empirical application of the model are thus required and under development.

Summarizing our findings, we can say that the proposed model has some potential for the development of trading strategies aimed at hedging the volatility risk, since their performances are positive during high market volatility, and characterized by a lower risk compared to the market index. Signals extracted from the model could also be considered as confirmatory signals for other strategies working with high frequency data, or could be used to detect relevant market movements.

In this empirical example we do not consider several elements that could have an impact on the trading strategy profits. We motivate this by the need of evaluating the model in comparison to a simple benchmark. Across the elements we did not include, we have the trading costs. Once those are introduced, the profits reported in the previous tables would be sensibly reduced. However, the trading strategy we implement is based on a fixed frequency database, using a 10-minute interval. This has a relevant impact on the trading outcomes. In fact, if a quantile violation is observed at time t , we execute the trade with the price observed at this same point in time. However, the violation could have taken place in any instant in the ten minutes before t . A trader using our approach would produce quantiles to be used for each period of 10 minutes, but would immediately detect the violation, and operate in the market soon after it (assuming she/he fully trusts the signal). On the contrary, working with a fixed time span of 10 minutes, we lose part of the potentially relevant content of the signal, since the price at time t might be significantly different from the real price observed at the trade execution just after the violation occurred.

Another element not included in our trading example is the remuneration of the bank account. In addition, overnight liquidity operations could be introduced given that the portfolio is entirely into cash from 1 p.m. of day t up to 9:39 a.m. of day $t + 1$. Finally, we note that even the trading strategy could be improved, for instance introducing stop-loss and take-profit bounds on the implemented orders.

Acknowledgments

We thank M. Zamparo for useful discussions. This work is supported by “Fondazione Cassa di Risparmio di Padova e Rovigo” within the 2008-2009 “Progetti di Eccellenza” program.

-
- [1] Admati, A. and Pfleiderer, P., A theory of intraday patterns: volume and price variability. *Review of Financial Studies*, 1988, **1**, (1), 3–40.
 - [2] Allez, R. and Bouchaud, J-P., Individual and collective stock dynamics: intra-day seasonalities. *New Journal of Physics*, 2011, **13**, 25010.
 - [3] Andersen, T.G. and Bollerslev, T., Intraday periodicity and volatility persistence in financial markets. *Journal of Empirical Finance*, 1997, **4**, 115–158.
 - [4] Andersen, T.G. and Bollerslev, T., Heterogeneous information arrivals and return volatility dynamics: uncovering the long run in high volatility returns. *Journal of Finance*, 1997, **LII** **3**, 975–1005.
 - [5] Baldovin, F., Bovina, D., Camana, F. and Stella, A.L., Modeling the Non-Markovian, Non-stationary Scaling Dynamics of Financial Markets. In *Econophysics of order-driven markets* (1st edn), edited by F. Abergel, B. K. Chakrabarti, A. Chakraborti and M. Mitra, Part III, pp. 239–252, 2011 (New Economic Windows, Springer).
 - [6] Baldovin, F. and Stella, A.L., Scaling and efficiency determine the irreversible evolution of a market. *PNAS*, 2007, **104**, (50), 19741–19744.

- [7] Bassler, K.E., McCauley, J.L. and Gunaratne, G.H., Nonstationary increments, scaling distributions, and variable diffusion processes in financial markets. *PNAS*, 2007, **104**, (44), 17287–17290.
- [8] Bollerslev, T., Generalized autoregressive conditional heteroskedasticity. *Journal of Econometrics*, 1986, **31**, 307–327.
- [9] Bouchaud, J-P. and Potters, M., *Theory of Financial Risk and Derivative Pricing* (2nd edn), Cambridge University Press, 2009.
- [10] Clark, P.K., A Subordinated Stochastic Process Model with Finite Variance for Speculative Prices. *Econometrica*, 1973, **41**, (1), 135–155.
- [11] Dacorogna, M.M., Gencay, R., Muller, A.U., Olsen, R.B., and Pictet, O.V., *An introduction to high frequency finance*, Academic Press, San Diego (2001).
- [12] Engle, R.F., Autoregressive conditional heteroskedasticity with estimates of the variance of U.K. inflation. *Econometrica*, 1982, **50**, 987–1008.
- [13] Glosten, L., Jagannathan, R. and Runkle, D., Relationship Between the Expected Value and the Volatility of the Nominal Excess Returns on Stocks. *Journal of Finance*, 1993, **48**, 1779–1801.
- [14] Guillaume, D.M., Dacorogna, M.M., Dave, R.R., Muller, A.U., Olsen, R.B., and Pictet, O.V., From the bird’s eye to the microscope: a survey of new stylized facts of the intra-daily foreign exchange market, *Finance and Stochastics* 1997, **1**, 95–129.
- [15] Mantegna, R.N. and Stanley, H.E., Scaling behaviour in the dynamics of an economic index. *Nature*, 1995, **376**, 46–49.
- [16] Mueller, U. A., Dacorogna, M., Olsen, R.B., Pictet, O.V., Schwarz, M. and Morgenegg, C., Statistical study of foreign exchange rates, empirical evidence of a price change scaling law, and intraday analysis. *Journal of Banking & Finance*, 1990, **14**, (6), 1189–1208.
- [17] Neely, C.J., and Weller, P.A., Intraday technical trading in the foreign exchange market, *Journal of International Money and Finance*, Volume 22, Issue 2, April 2003, Pages 223–237.
- [18] Lo, A.W., H. Mamaysky, and J. Wang, Foundations of Technical Analysis: Computational Algorithms, Statistical Inference, and Empirical Implementation, *Journal of Finance*, 55(4), 1705–1770.
- [19] Park, C.H. and Scott, H., What do we know about the profitability of technical analysis? *Journal of Economic Surveys*, Volume 21, Issue 4, pages 786–826, 2007.
- [20] Seemann, L., McCauley, J.L., Gunaratne G.H. Intraday volatility and scaling in high frequency foreign exchange markets, *International Review of Financial Analysis* Volume 20, Issue 3, June 2011, Pages 121–126, 2011.
- [21] Stella, A.L., Baldovin, F., Anomalous scaling due to correlations: Limit theorems and self-similar processes. *J. Stat. Mech.* P02018 (2010).
- [22] Wang, F., Yamasaki, K., Havlin, S., Stanley, H.E., Indication of multiscaling in the volatility return intervals of stock markets. *Phys. Rev. E* 77, 016109 (2008).
- [23] Wirjanto, T.S., and Xu, D., *The Applications of Mixture of Normal Distributions in Finance: A Selected Survey*. Working Paper, University of Waterloo, 2009.
- [24] Where a *statistical ensemble* is a collection of elements, such as a collection of realizations of a stochastic process, with given statistical properties. In the cited contributions, each daily HF dataset constitutes a single element of the ensemble. Furthermore, each element of the ensemble is assumed to be a realization of the same underlying stochastic process. The properties of the process are estimated on the basis of ensemble statistics, i.e. by averaging over all available daily realizations.
- [25] This paper provides an extensive survey of empirical studies dealing with technical trading rules.
- [26] We do not take into account the margins generally required when creating short position. We motivate this choice by the need of evaluating the strategy abilities on both long and short trades without penalizing short positions, as would be the case when margins larger than 10% would be required. Furthermore, given that the trades will last at maximum for 4 hours and 20 minutes (from 9:40 to 1 p.m.), we believe that an implicit margin of 10% will be sufficient.
- [27] The standard deviation is computed over the daily returns of the simulated portfolio and then annualized. Note that days without any trading signal provide zero returns, since we did not assume any remuneration for the bank account.

Appendix - Testing model predictions

First of all we show that the linear correlations

$$c_{lin}(t) \equiv \frac{\frac{1}{M} \sum_{l=1}^M [r_1^l r_t^l]}{\sqrt{m_2(t, 1) m_2(1, 1)}} \quad (19)$$

already decay to an approximate zero value after 10 min (see Fig. 7). Indeed, we could have chosen a 5 min scale for the last few years, but in the years before 2000 this quick decay to zero of the correlation is not verified. To avoid dealing with linearly correlated sets, we assumed a conservative attitude and decided to work at the 10-minute scale.

We then observe that the empirical second moment $m_2(t, 1) \equiv \sum_{t=1}^M [r_t^l]^2 / M$ systematically decreases as a function of t in the interval considered (see Fig. 8). This is a clear indication of return non-stationarity of the underlying process at this time scale. The model reproduces such a decay, and the empirical shape is pretty well fitted. The




FIG. 7: Linear correlation.

value $D = 0.35$, which best fits the shape of the curve, is in good accordance with the value $D = 0.36$ derived in the main text via analysis of non-linear moments.

A widely studied indicator of non-Markovianity and of presence of non-linear correlations is the volatility autocorrelation, defined as

$$c_{vol}^{theo}(t) \equiv \frac{\mathbb{E}[|r_1||r_t|] - \mathbb{E}[|r_1|] \mathbb{E}[|r_t|]}{\mathbb{E}[|r_1|^2] - \mathbb{E}[|r_1|]^2}, \quad (20)$$

whose empirical counterpart is

$$c_{vol}(t) \equiv \frac{\sum_{l=1}^M [|r_1^l| |r_t^l|] - \frac{1}{M} \sum_{l=1}^M |r_1^l| \sum_{l'=1}^M |r_t^{l'}|}{\sum_{l=1}^M |r_1^l|^2 - \frac{1}{M} \sum_{l=1}^M |r_1^l| \sum_{l'=1}^M |r_1^{l'}|}. \quad (21)$$

Fig. 9 pictures again the substantial agreement between the two (since we average over the whole ensemble, the parameters derived from the in-sample analysis have been used).




FIG. 8: Empirical second moment.




FIG. 9: Volatility autocorrelation.